4H 4 4 GT/PTO 0 4 DEC 2000

| F((ReV 1 | TO-139 | 0 (Modified) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTORNEY'S DOCKET NUMBER |
|-------------------|---------|--|--|
| (10. 7 1) | | ANSMITTAL LETTER TO THE UNITED STATES | 503235-25 |
| | | DESIGNATED/ELECTED OFFICE (DO/EO/US) | U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.5 |
| | (| CONCERNING A FILING UNDER 35 U.S.C. 371 | l 09/701900 l |
| INTEI | | IONAL APPLICATION NO. INTERNATIONAL FILING DATE PCT/NO99/00187 7 June 1999 (07.06.99) | PRIORITY DATE CLAIMED 8 June 1998 (08.06.98) |
| TITLE | | PCT/NO99/00187 7 June 1999 (07.06.99) NVENTION | 8 June 1998 (08.00.98) |
| IIIDI | . OI II | METHOD AND APPARATUS FOR DRYING A POROUS MAT | RIX |
| | | T(S) FOR DO/EO/US | |
| JON | ASSI | EN, Ola, STROMMEN, Ingvald, SCHIEFLO, Per Arne, ODILIO, | Alves-Filho |
| | | | |
| Appli | cant h | nerewith submits to the United States Designated/Elected Office (DO/EO/US) the | e following items and other information: |
| 1. | X | This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. | |
| 2. | | This is a SECOND or SUBSEQUENT submission of items concerning a filin | |
| 3. | | This is an express request to begin national examination procedures (35 U.S.C examination until the expiration of the applicable time limit set in 35 U.S.C. 3' | 71(b) and PCT Articles 22 and 39(1). |
| 4. | × | A proper Demand for International Preliminary Examination was made by the | 19th month from the earliest claimed priority date. |
| 5. | X | A copy of the International Application as filed (35 U.S.C. 371 (c) (2)) | |
| 6. | | a. is transmitted herewith (required only if not transmitted by the International control of the control of th | national Bureau). |
| iii J | | b. As been transmitted by the International Bureau. | · · · · · · · · · · · · · · · · · · · |
| | _ | c. is not required, as the application was filed in the United States Rece | |
| 6. | | A translation of the International Application into English (35 U.S.C. 371(c)(2 | .))). |
| 7. 8. | × | A copy of the International Search Report (PCT/ISA/210). | 10 (25 H G O 251 ()(2)) |
| * 8. ** | | Amendments to the claims of the International Application under PCT Article | |
| 3 ¹ 11 | | a. are transmitted herewith (required only if not transmitted by the International Control of the Int | national Bureau). |
| PL PL | | b. have been transmitted by the International Bureau. | A L. NOT In I |
| 8""H 18""H | | c. have not been made; however, the time limit for making such amends | ments has NOT expired. |
| 9. | | d. have not been made and will not be made. | 271/-2/22 |
| ē | | A translation of the amendments to the claims under PCT Article 19 (35 U.S.C | 2. 3/1(c)(3)). |
| 10. | | An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)). | |
| 11. 12. | | A copy of the International Preliminary Examination Report (PCT/IPEA/409). A translation of the annexes to the International Preliminary Examination Rep | |
| | | (35 U.S.C. 371 (c)(5)). | |
| It | tems 1 | 3 to 20 below concern document(s) or information included: | |
| 13. | | An Information Disclosure Statement under 37 CFR 1.97 and 1.98. | |
| 14. | | An assignment document for recording. A separate cover sheet in compliance | with 37 CFR 3.28 and 3.31 is included. |
| 15. | | A FIRST preliminary amendment. | |
| 16. | | A SECOND or SUBSEQUENT preliminary amendment. | |
| 17. | | A substitute specification. | |
| 18. | | A change of power of attorney and/or address letter. | |
| 19. | | Certificate of Mailing by Express Mail | |
| 20. | | Other items or information: | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

PCTUS1/REV03

| | | | | | | | | | 1 DFC 2000 |
|---|------------------------------------|---|-----------------------------------|---|------------------------|-----------------------|---------|---------------------------|----------------|
| A. | PPLICATION | NO OF ENOUGH SE | E 37 CFR 1.5) | INTERNATIONAL AP | PLICATI | 525 Re | c'd l | ATTORNEY'S | DOCKET NUMBER |
| ` | <u> </u> | 9//UIS | 3 00 | PCT/NO | 99/00187 | | - 1 | 503 | 235-25 |
| 21. | | lowing fees are sub | | | | | L | CALCULATION | S PTO USE ONLY |
| | | L FEE (37 CFR 1. | | (5)): fee (37 CFR 1.482) no: | . | 1 | | | |
| × | international | search fee (37 CFR | k 1.445(a)(2) p | paid to USPTO by the EPO or JPO | | \$1000 | | | |
| | International USPTO but 1 | preliminary examin Internation Search I | nation fee (37 Report prepare | CFR 1.482) not paid to d by the EPO or JPO. | | \$840 | .00 | | |
| | but internation | onal search fee (37) | CFR 1.445(a)(| CFR 1.482) not paid to (2)) paid to USPTO | | \$690 | .00 | | |
| | but all claims | s did not satisfy pro | visions of PC | 1 to USPTO (37 CFR 1. T Article 33(1)-(4) | | \$670 | .00 | | |
| | International and all claim | s satisfied provision | ns of PCT Arti | 1 to USPTO (37 CFR 1. icle 33(1)-(4) | • • | \$96 | .00 | | |
| | | ENTER AP | PROPRL | ATE BASIC FER | | 1 | | 1000 | |
| Surcha | rge of \$130.0 | 0 for furnishing the | oath or decla | ration later than | □ 20 | □ 30 | | \$0.00 | |
| CL | AIMS | NUMBER | FILED | NUMBER EXTR | | RATE | | | |
| Total c | laims | 2 | - 20 = | 0 | | x \$18.00 | | \$0.00 | |
| | ndent claims | | - 3= | 0 | | x \$78.00 | | \$0.00 | |
| Multij | ole Dependen | t Claims (check if a | | ABOVE CALC | ETT A TET | ONE | =+ | \$0.00 \$970.00 | |
| Reduc hust a | tion of 1/2 for lso be filed (1 | | tity, if applical | ble. Verified Small Ent | | | _ | \$0.00 | |
| ÷ | | | | | SUBT | OTAL | = | | |
| Proces | sing fee of \$1 | 30.00 for furnishin | g the English | translation later than | □ 20 | □ 30 | + | \$0.00 | |
| 1 | | | | TOTAL NATI | ONAL | FEE | = | \$970.00 | |
| Fee for | r recording th panied by an | e enclosed assignmappropriate cover si | ent (37 CFR 1 heet (37 CFR | .21(h)). The assignmen 3.28, 3.31) (check if a) | nt must be |). | | \$0.00 | |
| 111111111111111111111111111111111111111 | | | | TOTAL FEES I | ENCLO | SED | = | 1000≈ | |
| 117 | | | | | | | | Amount to be: refunded | \$ |
| 1 | | | | | | | | charged | \$ |
| X | Please char | the amount of ge my Deposit Acc e copy of this sheet | | to cover the above fe 5-1145 in the ar (Order No. 50) | nount of | 1000 . | | to cover the abo | ve fees. |
| X | The Comm | issioner is hereby a | uthorized to cl | harge any fees which m | ay be req | uired, or cre | dit an | y overpayment | |
| | to Deposit. | Account No. | | A duplicate copy of thi | s sheet is | enclosed. | | | |
| NOTI 1.137(| E: Where an (a) or (b)) mu | appropriate time ist be filed and gra | limit under 3' inted to restor | 7 CFR 1.494 or 1.495 left the application to p | has not b ending st | een met, a j atus. | petitio | on to revive (37 CF | R |
| SEND | ALL CORR | ESPONDENCE TO |): | | | losent | | l. Minar | ! |
| _ | oh C. Sulliva | | | | | SIGNATU | RE | Sellian | |
| | ey, Hardin, K Fhird Avenu | Cipp & Szuch LLP e | | Ì | | Joseph C | C.J.II | livan | |
| ł | York, New Y | | | | | | . Sui | шуаш | |
| 212 | -687-600 | 0 | | | | NAME 18,720 | | | |
| | | | | | | REGISTR | ATIO | N NUMBER | |
| | | | | | | Decembe | er 4, 2 | 2000 | |
| | | | | | | DATE | | | |
| | | | | | | | | | |

1/prts

PCT/NO99/00187

525 Rec'd PCT/777 0 4 DEC 2000

Method and apparatus for drying a porous matrix

The present invention is related to a method and an apparatus for producing a porous matrix from a solution, a paste, an extract, a granulated material or such, and the drying process.

Developments are continuously made to make processes and apparatus and connectors with freeze drying more economical, more accurate, to a higher degree capturing aromatic and nutritious ingredients during the freeze drying process.

with the method and the apparatus according to present invention, the dryer may operate at different temperature levels and inlet conditions below the freezing point of the material, enabling removal of substantial amount of moisture within a shorter residence time.

With the method according to the present invention is provided a flexibility on the operation since a solution, a suspension, a paste, juices, extract and even finely granulated sticky products can be mixed with an inert agent and expanded as to form a porous matrix. Said porous matrix is progressively dried as it is introduced into the drying chamber, said drying chamber thereby comprising means to adjust the inlet conditions as provided by the heat exchanger and the blower.

By closed loop circulation of the drying air or other media, processing contaminations are avoided and a maximum retention of the final product aroma or odorants as well as other heat sensitive organic components, which would have been lost i open processes.

Uncoupled heat exchangers provide conditioned drying media at appropriate and different levels as to attain minimum thermal inactivation while avoiding degradation of heat sensitive or delicate products. To avoid environmental and thermal pollutions, natural refrigerants are used in the uncoupled heat exchangers.

The above described advantages are achieved with the method and the apparatus according to the present invention as defined with the features stated in the claims.

The drawing discloses in Figure 1 schematically an apparatus according to the invention and Figure 2 discloses

enlarged a control valve used in the apparatus in Figure 1.

According to the invention, an inert agent is introduced into the structural raw material which may be a solution, a paste, an extract, a granulated material or such, whereafter the raw material is expanded to above or below the freezing point of the raw material and to a lower pressure, thereby producing a matrix mainly consisting of solids, pores and ice crystals. The resulting matrix may be frozen prior, or during the drying process or may be directly introduced into drying chamber.

The frozen matrix is placed into the drying chamber of the apparatus whereafter the dryer is activated. The moisture removed from the matrix is guided as an exhaust medium through a heat exchanger having cooled surface coils in which the water vapour condenses and thereafter is removed from the drying circuit.

In the next phase the drying medium is conditioned to the desired and preset inlet condition of the drying chamber by using the heated surface of the heat exchanger. This process is repeated continuously as the drying medium is reentered the drying chamber containing the matrix.

With the apparatus according to the present invention the inert agent is mixed with a matrix in a controlled mixing process. For this purpose the apparatus comprises several components also for conditioning the drying medium.

Reservoir 1 for the inert agent and reservoir 2 for the raw material are preferably made of stainless steel. The outlet of said reservoirs is accurately controlled for fine proposing of the mass fractions, by the use of flow meters and control valves. Pressure and temperature at the reservoir inlets and outlets are recognized by sensors and indicators arranged in the reservoir piping, fittings and connections.

The dryer as such consists of a closed loop in which the drying medium flows after being conditioned in the heat exchanger. The surfaces of the heat exchanger may be independently heated respectively cooled or may as such be connected with the appropriate refiguration systems and heat pumps.

A blower, when activated, provides the flow of the

drying medium through drying chamber containing the fixed or fluidized bed of porous frozen matrix, whereafter the drying as such is accomplished by heat transfer and mass transport mechanisms. The heated and cooled surfaces of the heat exchanger promote dehumidifaction and conditioning of the drying medium and may be adjusted to provide desired specification and thermal sensitivity of the matrix by specific chamber designs and preset inlet conditions.

invention the dryer is able to operate at different temperature levels and the inlet conditions may be preset at or below the final freezing point of the raw material, such that nearly all of the moisture in the matrix is removed. In connection therewith, the circuit temperature of the heat exchanger may be changed in order to increase the temperature of the drying medium, controlling the relative humidity and consequently attaining a high degree of water removal and a short residence time of the matrix.

The design of the dryer as such enables use of only a fraction of the energy used in conventional processes. Furthermore the closed drying circuit avoids contamination as such, as frequently observed with commercial open systems.

Due to the higher operation temperature and higher operation pressure, the drying process according to the present invention is less expensive than commonly available drying systems having similar capacities. Furthermore the final product from the dryer provides higher and more uniform quality than conventional dryers and spray dryers operating at much higher temperature which furthermore is unsuitable for heat sensitive materials.

The only figure discloses schematically the apparatus arrangement with its vital components. A liquid inert agent is fed into a vessel 5 at controlled pressure and amount through a valve 7. The valve 7 also permits dosing the amount of inert agent inside vessel 5, as inspected through glass level indicator 8.

From the vessel 5 the pressurized liquid inert agent is transferred to the mixing vessel 4 which also receives the solution (paste, extract or granulated material) through an inlet

valve 10. The pressure and temperature inside the mixing vessel 4 is adjusted through the release valve 6. A multi-propeller agitator 9 rotates accordingly to provide a complete mixing of the inert agent with the solution.

From the mixing vessel 4, the solution is expanded into a porous matrix and is injected into drying circuit through the drying chamber 3. The matrix is kept suspended in the drying chamber by the flowing drying medium, which is supplied by the blower 2.

Besides keeping the porous matrix suspended during the process, the medium re-circulates the drying circuit in a closed loop. After removing the matrix moisture the exhaust medium is moved through a heat exchanger coil comprising a first heat exchanger 11 where the water vapour is condensed and removed from the circuit. Thereafter the drying medium is adjusted to the desired inlet condition in the heat exchanger 1. Finally the drying medium flows through the matrix and the process is repeated.

20

25


30

35

Patent Claims

- 1. Method of drying a medium for producing a porous matrix from a solution, a paste, an extract, a granulated material or such, CHARACTERIZED IN feeding a liquid inert agent into a vessel (5) at controlled pressure and amount through a valve (7), transferring the pressurized liquid inert agent to a 10 mixing vessel (4), said mixing vessel (4) also receiving the solution, such as paste, extract or granulated material, through an inlet valve (10), adjusting the pressure and temperature inside the mixing vessel (4) to desired levels by a release valve (6), upon complete mixing of the inert agent with the solution, 15 the mixture is expanded into a porous matrix and injected into a drying circuit through a drying chamber (3), the matrix thereby being kept suspended in the drying chamber by the flowing drying medium, supplied by the blower 2, the matrix moisture being removed from the mixture through a heat exchanger coil comprising 20 a first heat exchanger (11) where the water vapour is condensed and removed from the circuit and finally the drying medium is adjusted to the desired inlet condition in a heat exchanger (1) before the drying medium flows through the matrix and the process is repeated.
- 2. Apparatus adapted for drying a medium for producing a porous matrix from a solution, a paste, an extract, a granulated material or such, CHARACTERIZED IN the apparatus comprising a valve (7) being connected with a vessel (5) for feeding a liquified inert agent into the vessel (5) at controlled 30 pressure and rate, the valve (7) thereby allowing dosing of the agent, a mixing vessel (4) being connected with the vessel (5) adapted to receive pressurized liquid inert agent as well as a solution such as a paste, an extract or a granulated material, through an inlet valve (10), a release valve (6) thereby 35 controlling the pressure and the temperature inside the mixing vessel (4), an agitator (9) inside the mixing vessel (4) thereby ensuring complete mixing of the agent with the solution, a drying chamber (3) being connected with the mixing vessel (4) to receive the mixture as a porous matrix which thereby is injected into a

drying circuit through the drying chamber (3), and a first heat exchanger (10) being connected with the circuit for condensing and removing the water vapour from the circuit, the drying medium thereafter being adjusted to the inlet condition of the drying chamber (3) by a second heat exchanger (1).



The first from the first first first

P.02/26

| ~ | | | | - |
|------------|-----------|------------|----|------------|
| Plants has | مثد عدد د | طشونا ذمار | 20 | → 世 |

2126829485

| s water Challe spectral purchase. | <u> </u> | |
|--|------------------------|---------------|
| | Atterney Ducket Humber | 503235- 25 |
| DECLARATION FOR UTILITY OR | First Named Inventor | JONASSEN, Ola |
| DESIGN PATENT APPLICATION | COMPLETE. | # KNOWN |
| (37 CPR 1.63) | Application Number | |
| • | Filing Date | |
| Declaration Declaration Submitted OR Submitted after initial | Group Ar Unit | |
| with Initial Filing (gurnharge (a? CPR 1.16 (e)) reading (secured) | Examiner Name | |
| | | |

| bly rightering, pass tiffice I landered i are the original recover are falled better a | AND AFFARAT | et grand below rept to rity by one name to least below) the sale one to which A sale US "FOR DRYING to of the Speculary) | man original di | | |
|---|--|--|---------------------------------------|---|------------------------------|
| Application Hamber (Ex- I hambly death shall I have to accurate this pay consocial I windowindow this daily to | primatel and understand the ure appairably released to a Section interfaction which is | 1999 to United the New York of the New York of the Above identified to present the New York of | | 7) 1.23. | (r applicable). Silva, ta |
| Prior Parsian Australian | | Persign Pline Date (NEWS PYYYY) | Priority No. Connect | | y Afachaet HD |
| 19982626 | Norway | 06.08 1998 | 0000 | مووو | 0000 |
| Additional toroles apple | min members are listed on | a cupolinaryal printy and | eres PITA | ور پورود اند | |
| Lemma dika Re Garde Application Number | | | A A A A A A A A A A A A A A A A A A A | end lefter ora provisiona ora provisional orania) priority 20/025 attache | I application |

(July 1998)

110

Additional inventors on bains named on the

212662349 P.03/86

| منعصوب | 7.44 | THE PERSON NAMED IN | a | · | | | $\overline{}$ | | | |
|--|--|--|--|---|---|--|-------------------------|---------------------------|-----------------------------------|--|
| DE | CLAF | ATION- | — Utilit | y or | Design | Pate | int / | App | licat | ion |
| S Paraday stains | | ## 35USC 12 | o at any largest S | فأداك وأدي | alexis), or 350 | o of any M | 7 June | ر أدامات | | |
| Livery Basis United States | 4 4 19 AN | ters bette and | rights' as the Sale | no nice Principal Principal Principa | | | | | March Andrews March Andrews | المنافعة من الإلام المنافعة من الأرام |
| PROPERTY OF | Not to the same | AND SUBSECTION OF THE PARTY OF | | 77 1.46 W | | حبز بتعدد | -W (V | fing to | p | nor application |
| U. | S. Paren | n Application o | 7 PCT Perent | | Parent Fill | na Data | | Peret | ii Puter | T NUMBER |
| | | Number - | | | (HWDD) | m | <u> </u> | | l epole | |
| Sec. | tr/)20 99/ | /00187 | į. | | 06.07.1 | 999 | | | | |
| - Matter | V.S. or PC | T PROPERTY SON | miar rembers M | 1 1000 | | - | San P | reds. | سيحات كا | (Name (18) |
| AL A COMMENT | Anthy, I have | HOUSE SHEARING: - C. | THE RESERVE THE PERSON NAMED IN | | P. Million L. | | 1 | 1 | | a in the Pape of prior |
| inio i immismo | - Ariston Arrai | | | * L | | | | | Autor & | المالي الما |
| | | | Account we | and a | - | Approx 1 | واحد اور | | 120cl | |
| | (day) | | Regist | Per | | NewP | | | | - |
| Jaseph C | دلاد . | van | 18,72 | | John | r. alli | nia | | | 140 |
| Gorald L | avy | | 24,41 | 9 | | ow W. E | | 1 | | 941 |
| Ronald E | ·"Saup | 266î | 28,98 32,20 | 3 | Peter | W. Lat | THEF | | 45, | 858 |
| Life St. | | | | | | | | | | Malin |
| | | 44 ali | | | بكينيا والراب والمسا | ate 1 | | | چە» بى <u>ت</u> | |
| | | | | | harrie de la Barti | | | | | |
| Direct all com | | Cu50 | mar Number Gade Label | -,:: | | | | | | dur bio |
| | PARTICIAN . | Cu50 | mar Number Cade Label | | | | | | | |
| Direct all com | Josef | can les: Custo or Bal | mar Number Corde Label | | | | | | | |
| Direct all com Name Address | Josephan | en la: Cusa or the ch C. Sulliv sy, Hardin, | mar Number Code Label Tipp 6 \$2 | uch LL | | | | | | |
| Direct all com Numbe Address Address | Josef Pital | en la: Cusa or Bar sh C. Sulliy sy, Hardin, Third Avenue | Mar Number Code Label VAD Ripp 6 S2 | uch LL | P | СЯ | 1 | | demo ad | |
| Direct of com Name Address Address City | Joseph Pital | en la: Cusa or the ch C. Sulliv sy, Hardin, Third Avenue foris | mar Number Code Label Tan Ripp 6 S2 | uch LI | Some M | СЯ | 20- | 10 | d=max ad | Green Balton |
| Direct of com Name Address Address City Coumpy | Joseph Jo | en la: Cusa or Can th C. Sulliv sy, Hardin, Third Avenue fork | ran Number Gride Label Figp 6 S2 20th Fig | uch LL | Spec 19 687-6000 | CA | E Ca | 10 | 017 82-348 | 5 |
| Direct of com Name Address Address City Coumpy | Joseph Jo | en la: Cusa or the ch C. Sulliv sy, Hardin, Third Avenue foris | ran Number Gride Label Figp 6 S2 20th Fig | uch LL | Spec 19 687-6000 | CA | E Ca | 10 | 017 | Green below |
| Direct of comments of the comm | Joseph Jo | en la: Cusa or Can th C. Sulliv sy, Hardin, Third Avenue fork | ran Number Gride Label Figp 6 S2 20th Fig | nch LL | Spec 19 687-6000 | CA | Zap Pass reli man | 10 212-6 | 017 82-348 | South Below |
| Name Name Name Address Address City Country Name Address City Country | Joseph Jo | can to: Custo or that the C. Sullive start in the custo of the custo o | Rigo & Sa Tetaphan | nch LL | Super 187 687-6090 | CA I | Per l | 10 212-6 | 017 62-348 Market In Co. | South Below |
| Name Name Name Address Address City Country Name Address City Country | Pitts Fits | can to: Custo or that th C. Sulliv my, Hardin, foris foris | Rigo & Sa Tetaphan | nch LL | \$1000 M 687-6000 The bid was 100 M and 100 100 M and 100 M and 100 100 M and 100 M and 100 100 M and 100 M a | on on the state of | Per l | 1.0 21.2-6 pa on in | 017 62-348 Market In Co. | South Below |
| Name Address Address City Country Address City Country Address City Country Co | Pitts Fits | can to: [] Custo or that th C. Sulliv my, Hardin, foris foris foris the man man for foris the foris of inventor: | Rigo 6 S2 Tetuphan Tetuphan Tetuphan | nch LL | Super 187 687-6090 | on on the state of | Per l | 1.0 21.2-6 pa on in | 017 62-348 Market In Co. | South Below |
| Name Address Address City Country Address City Country Address City Country Co | Joseph Jo | can to: [] Custo or that th C. Sulliv my, Hardin, foris foris foris the man man for foris the foris of inventor: | Total Pic | nch LL | Super 187 687-6000 To the last selection of | on on the state of | Per l | 10 212-6 10 on in | 017 52-945 de fee de fee | 5 Marie 100 100 Mari |
| Nights Nights Address Address City Country Indicate to be served to be | Joseph Jo | can to: [] Custo or that th C. Sulliv my, Hardin, foris foris foris the man man for foris the foris of inventor: | Rigo 6 S2 Totaghan | nch LL | \$1000 M 687-6000 The bid was 100 M and 100 100 M and 100 M and 100 100 M and 100 M and 100 100 M and 100 M a | on on the state of | Per l | 10 212-6 10 on in | 017 52-945 1 to the | Signal Balling |

† (POpe 2 of 3)

Surcial Additional Investigate Interior PTO/SRIGEA alterned to

;

(July 1092)

(July 1998)